

## H.P. Acthar® Gel (repository corticotropin injection) Reference Bibliography

This bibliography contains verifiable peer-reviewed manuscripts and abstracts on the use of Acthar Gel, as well as publications supported by Mallinckrodt that relate to Acthar directly or indirectly. Human and preclinical studies, health economic and outcomes analyses (HEOR), reports and reviews are included and, where available, links to PubMed are provided.

Updated May 2018

### Nephrology

1. Aala A, Yalcindag A, Faizan MK. Successful treatment of resistant mixed class IV/V SLE with adrenocorticotrophic hormone (ACTH) [ASN abstract TH-PO021]. *J Am Soc Nephrol*. 2016;27(suppl):99A.
2. Alhamad T, Dieck J, Vujjini V, Kanawati B, Brennan D, Alachkar N. Acthar in recurrent focal segmental glomerular sclerosis after kidney transplantation [ATC abstract B150]. *Am J Transplant*. 2017;17(suppl 3):561-562.
3. Anwar S, Larson DS, Naimi N, et al. A case report of adrenocorticotrophic hormone to treat recurrent focal segmental glomerular sclerosis post-transplantation and biomarker monitoring. *Front Med (Lausanne)*. 2015;2:13. [Link](#)
4. Arif H, Ellie K, Monalisa J. "Repository ACTH". Novel therapy in treatment of resistant nephrotic syndrome [NKF abstract 23]. *Am J Kidney Dis*. 2013;61(4):A21.
5. Barney EJ, McCann E, Sarani S, Huang CS, Pham PC. Successful use of ACTHAR in patient with nephrotic syndrome and oral steroid intolerance [ASN abstract PUB431]. *J Am Soc Nephrol*. 2013;24(suppl):969A.
6. Beck LH, Fervenza FC, Bomback AS, et al. Treatment of membranous nephropathy with adrenocorticotrophic hormone (ACTH) gel: Correlation of anti-PLA2R and disease activity [ERA-EDTA abstract SAP294]. *Nephrol Dial Transplant*. 2012;27(suppl 2):ii416-ii417
7. Berg AL. Plasma cortisol levels after natural ACTH 1-39 and syntetic ACTH 1-24 in humans [NKF abstract 39]. *Am J Kidney Dis*. 2013;61(4):A25
8. Bomback AS, Tumlin JA, Baranski J, et al. Treatment of nephrotic syndrome with adrenocorticotrophic hormone (ACTH) gel. *Drug Des Devel Ther*. 2011;5:147-153. [Link](#)
9. Bomback AS, Canetta PA, Beck LH, Ayalon R, Radhakrishnan J, Appel GB. Treatment of resistant glomerular diseases with adrenocorticotrophic hormone gel: A prospective trial. *American Journal of Nephrology*. 2012;36(1):58-67. [Link](#)
10. Bonilla MA, Parada XF, Henriquez MA. A case series on the treatment of nephrotic syndrome with natural adrenocorticotrophic hormone gel in an office setting [ASN abstract PUB219]. *J Am Soc Nephrol*. 2015;26(suppl):937A.
11. El-Husseini A, Saxon D, Jennings S, Cornea V, Beck L, Sawaya BP. Idiopathic membranous nephropathy: Diagnostic and therapeutic challenges. *Am J Nephrol*. 2016;43(2):65-70. [Link](#)
12. Faizan MK, Ruchir SP. Successful remission of treatment-resistant minimal change disease with adrenocorticotrophic hormone gel [ASN abstract PUB135]. *J Am Soc Nephrol*. 2013;24(suppl):905A-906A
13. Filippone EJ, Dopson SJ, Rivers DM, Monk RD, Udani SM, Jafari G, Huang SC, Melhem A, Assioun B, Schmitz PG. Adrenocorticotrophic hormone analog use for podocytopathies. *Int Med Case Rep J*. 2016;9:125-133. [Link](#)
14. Gaurav K, Gera M. Experience with Acthar for treatment of nephrotic range proteinuria of different etiologies. A case series [NKF abstract 103]. *Am J Kidney Dis*. 2013;61(4):A41.
15. Groves AP, Reich P, Sigdel B, Davis TK. Pneumococcal hemolytic uremic syndrome and steroid resistant nephrotic syndrome. *Clin Kidney J*. 2016;9(4):572-575. [Link](#)
16. Hanna R, Selamet U, Wallace D, Shieh, Rastogi A, Haghgi NN. Membranous nephropathy secondary to myasthenia gravis treated with adrenocorticotrophic hormone. [NKF abstract 113]. *Am J Kidney Dis*. 2018;71(4):543.
17. Hasan A, Kopyt NP. Acthar® (ACTH) therapy in post-transplant de novo IgA nephropathy (IgAN) [ASN abstract PUB508]. *J Am Soc Nephrol*. 2017;28(suppl):1094.
18. Hennigar RA, Klein CL. Nephrotic syndrome post-kidney transplant. *Clin J Am Soc Nephrol*. 2017;12(8):1347-1350. [Link](#)

19. Hladunewich MA, Cattran D, Beck LH, et al. A pilot study to determine the dose and effectiveness of adrenocorticotrophic hormone (H.P. Acthar Gel) in nephrotic syndrome due to idiopathic membranous nephropathy. *Nephrology*. 2014;29(8):1570-1577. [Link](#)
20. Hogan J, Bomback AS, Mehta K, et al. Treatment of idiopathic FSGS with adrenocorticotrophic hormone gel. *Clin J Am Soc Nephrol*. 2013;8(12):2072-2081. [Link](#)
21. Huang S., Pham P.C. Adrenocorticotrophic hormone gel and collapsing variant focal segmental glomerulosclerosis [NKF abstract 115]. *Am J Kidney Dis*. 2015;65(4):A43.
22. Khalil A, Karabala A, Sharfuddin A, Grafals M. Treatment of post-transplant nephrotic syndrome with adrenocorticotrophic (ACTH) gel [ATC abstract B163]. *Am J Transplant*. 2017;17(suppl 3):566.
23. Khastgir A, Teehan GS. Maintenance of proteinuria treatment response to H.P. Acthar Gel® in patients with nephrotic syndrome: A follow-up case series [ASN abstract PUB212] *J Am Soc Nephrol*. 2015;26:936A. [Link](#)
24. Khastgir A, Mijovic-Das S. H.P. Acthar® Gel in patients with IGA nephropathy, membranous lupus nephritis and minimal change disease: A retrospective case series [NKF abstract SCM15]. *Am J Kidney Dis*. 2015;65(4):A49
25. Khastgir A, Madan A. Response to H.P. Acthar gel in patients with nephrotic syndrome maintenance of proteinuria reduction and renal function. [NKF abstract 160]. *Am J Kidney Dis*. 2018;71(4):555.
26. Kittanamongkolchai W, Cheungpasitporn W, Zand L. Efficacy and safety of ACTH treatment in glomerular diseases: A systematic review and meta-analysis [NKF abstract 179]. *Am J Kidney Dis*. 2016;67(5):A63
27. Kittanamongkolchai W, Cheungpasitporn W, Zand L. Safety of ACTH treatment in glomerular diseases: A meta-analysis [Adv Kidney Dis abstract 2]. *Blood Purif*. 2016;41(1-3):225-226.
28. Koppula S, Amy NS, Barry RG. Reemergence of adrenocorticotropin hormone as novel therapy for focal segmental glomerulosclerosis [ASN abstract SA-PO1031]. *J Am Soc Nephrol*. 2012;23(suppl):879A
29. Lafayette RA, Root C, Metha K. Adrenocorticotropin hormone (ACTH) for the treatment of primary focal glomerulosclerosis (FSGS) [NKF abstract 140]. *Am J Kidney Dis*. 2012;59(4):B49
30. Lieberman K. A pooled analysis of early use of adrenocorticotrophic hormone in nephrotic syndrome [ASN abstract PUB254]. *J Am Soc Nephrol*. 2014;25(suppl):952A
31. Lieberman KV. Adrenocorticotrophic hormone for steroid-resistant and oral steroid-intolerant children with minimal change nephrotic syndrome. *J Clin Ped Nephrol*. 2014;2(2):1-4
32. Lieberman KV, Pavlova-Wolf A. Adrenocorticotrophic hormone therapy for the treatment of Idiopathic Nephrotic Syndrome in children and young adults: A systematic review of early clinical studies [ESPN abstract P-391]. *Pediatr Nephrol*. 2015;30(1694).
33. Madan A, Teehan GS, Stankovic AK. Treatment response to H.P. Acthar Gel in patients with idiopathic focal segmental glomerulosclerosis and idiopathic membranous nephropathy: A retrospective case series [ASN abstract TH-PO437]. *J Am Soc Nephrol*. 2014;25(suppl):206A
34. Madan A. Repository corticotropin injection in a patient presenting with focal segmental glomerulosclerosis, rheumatoid arthritis, and optic neuritis: A case report. *Int J Gen Med*. 2015;8:119-124
35. Madan A, Milward AS, Khastgir A. Treatment of nephrotic syndrome with Acthar Gel: A retrospective case series [NKF abstract 227]. *Am J Kidney Dis*. 2014;63(5):A75
36. Madan A, Mijovic-Das S, Stankovic A, Teehan G, Milward AS, Khastgir A. Acthar gel in the treatment of nephrotic syndrome: A multicenter retrospective case series. *BMC Nephrol*. 2016;17(1):37. [Link](#)
37. Marayati F. Long-term H.P. Acthar® Gel treatment of relapsing idiopathic membranous glomerulopathy: A case study [ASN abstract PUB206]. *J Am Soc Nephrol*. 2015;26(suppl):934A.
38. McHugh PP, Muhammad AM, Asif AS, Muhammad SY, Tim ET. Treatment of post-transplant immunosuppression resistant focal segmental glomerulosclerosis with adrenocorticotrophic gel [ASN abstract FR-PO1135]. *J Am Soc Nephrol*. 2013;24(suppl):624A

39. McMahon BA, Berliner AR. Treatment of severe resistant idiopathic membranous glomerulopathy with adrenocorticotrophic hormone gel: a case report. [ASN abstract SA-PO032] *J Am Soc Nephrol*. 2015;26(suppl):631A.
40. Melhem AY, Schmitz P. Single center experience with ACTH for the treatment of resistant nephrotic syndrome [ASN abstract SA-PO677]. *J Am Soc Nephrol*. 2013;24(suppl):783A-784A.
41. Meliambro K, Sharma S, Campbell KN. Treatment-refractory histologic tip-variant FSGS in a patient with systemic lupus erythematosus [NKF abstract 68]. *Am J Kidney Dis*. 2014;63(5):A35
42. Mittal T, Dedhia P, Roy-Chaudhury P, et al. Complete remission of post-transplantation recurrence of focal segmental glomerulosclerosis with the use of adrenocorticotrophic hormone gel: Case report. *Transplant Proc*. 2015;47(7):2219-2222. [Link](#)
43. Monk RD. Complete Remission of severe nephrotic syndrome and AKI in collapsing FSGS with a combination of ACTH Gel and Abatacept – a case report. [ASN abstract PUB494] *J Am Soc Nephrol*. 2017;28(suppl):1090.
44. Nguyen V, El-Meanawy A. ACTH a novel treatment for IgA nephropathy [CSCTR/MWAFMR abstract 104]. *J Investig Med*. 2014;62(4):719-720
45. Patel AB, Markell MS. Use of ACTH gel in a patient with progressive nephrotic syndrome secondary to transplant glomerulopathy (TG) [ASN abstract TH-PO1140]. *J Am Soc Nephrol*. 2012;23(suppl):365A
46. Ramirez PJF, Mohamed AE-H, Cornea V, Alachkar N. Treatment of recurrent focal segmental glomerulosclerosis (FSGS) in a post kidney transplant recipient with adrenocorticotrophic hormone (ACTH) gel [ASN abstract PUB539]. *J Am Soc Nephrol*. 2016;27(suppl ):1027A.
47. Reuben S, Maroz N. Treatment of fibrillary glomerulonephritis with use of repository corticotropin injections (Acthar®) [ASN abstract TH-POO018] . *J Am Soc Nephrol*. 2016;27(suppl):99A.
48. Saxon D, El-Husseini A, Jennings S, Cornea V, Sawaya BP. Successful treatment of an unusual case of membranous nephropathy with adrenocorticotrophic hormone gel in HIV patient [NKF abstract 307]. *Am J Kidney Dis*. 2016;67(5):A95
49. Shirsat PD, Habib SY. Use of ACTH gel in a patient with progressive nephrotic syndrome secondary to transplant glomerulopathy (TG) [ASN FR-PO1088]. *J Am Soc Nephrol*. 2013;24(suppl):613A
50. Sim J, Batech M, Hever A, et al. Distribution of glomerulonephritis among an ethnically diverse United States population [ASN abstract SA-PO890]. *J Am Soc Nephrol*. 2014;25(suppl):845A
51. Tan M, Maybel M, Yap L,W. Use of ACTH gel (Acthar) as rescue therapy for transplant glomerulopathy (TG) in two kidney transplant recipients: Short and long term follow-up [ASN abstract SA-PO768]. *J Am Soc Nephrol*. 2014;25(suppl):814A
52. Tumlin JA, Rovin BH, Paxton WG, Ayoub I, Almaani S, Caster DJ, Appel AS, Appel GB. A Prospective, Open Label Study of the safety and treatment efficacy of ACTHar Gel for fibrillary glomerulonephritis [ASN abstract SA-PO659]. *J Am Soc Nephrol*. 2016;27(suppl):781A.
53. Tumlin JA, Galphin CM, Rovin BH. Steroid resistant nephrotic syndrome: A prospective, open label study of the safety and efficacy of combination tacrolimus and ACTHar gel therapy [ASN abstract FR-PO434]. *J Am Soc Nephrol*. 2015;26(suppl):455A.
54. Tumlin JA, Galphin CM, Rovin BH. Advanced diabetic nephropathy with nephrotic range proteinuria: Long- term efficacy of subcutaneous adrenocorticotrophic hormone (ACTH ) therapy on proteinuria and urinary vascular endothelial growth factor (VEGF) levels [ASN abstract TH-OR073]. *J Am Soc Nephrol*. 2011;22(suppl):18A
55. Tumlin JA. Safety and efficacy of Acthar Gel (ACTH) on albuminuria and progression of diabetic nephropathy in patients with nephrotic range proteinuria: A randomized prospective study [ASN abstract SA-PO2471]. *J Am Soc Nephrol*. 2010;21(suppl):678A
56. Tumlin J, Galphin C, Santos R, Rovin B. Safety and efficacy of combination ACTHar Gel and Tacrolimus in treatment resistant focal segmental glomerulosclerosis (FSGS) and membranous glomerulopathy. *Kidney Int Rep*. 2017; 2(5):924-932.

57. Tumlin JA, Rovin BH, Lafayette RA, et al. Treatment of proteinuria due to treatment resistant or treatment intolerant idiopathic focal segmental glomerulosclerosis: a 2 part prospective study of H.P. Acthar® Gel (PODOCYTE) [ASN abstract PUB515]. *J Am Soc Nephrol.* 2017;28(suppl):1095-1096.
58. Vaitla P, Daswatta D, Guasch A. Recurrence of FSGS post kidney transplantation: salvage therapy with Acthar Gel [ATS abstract 344]. *Am J Transplant.* 2016;16(suppl 3):344.
59. Vasin D. Partial remission of fibrillary glomerulonephritis with crescentic and necrotizing features treated with H.P. Acthar® Gel [NKF abstract 290]. *Am J Kidney Diseases.* 2015;65(4):A87.
60. Watson MJ. Membranous glomerulopathy and treatment with Acthar®: A case study. *Int J Nephrol Renovasc Dis.* 2013;6:229-232. [Link](#)
61. Welik RA. Adrenocorticotrophic hormone therapy for idiopathic glomerulonephritis: 6-week interim data from an ongoing, 6-month trial [ASN abstract PUB712]. *J Am Soc Nephrol.* 2012;23(suppl):1051A
62. Wetmore JB, Haifeng G, Gilbertson DT. Prevalence of glomerulonephritis in the U.S. Medicare population [ASN abstract FR-PO906]. *J Am Soc Nephrol.* 2014;25(suppl):579A.

### **Nephrology HEOR**

63. Denburg M, Bailey C, Razzaghi H, Soranno D, Pollack A, Claes DJ, Dharnidharka VR, Smoyer WE, Somers MJ, Zaritsky J, Flynn JT, Mitsnefes M, Benton M, Mariani LH, Forrest CB, Furth SL. Development and validation of an EHR-based computable phenotype to rapidly identify glomerular disease in large populations. *J Am Soc Nephrol.* 28(suppl):45.
64. Nazareth T, Kariburyo F, Pirani A, Kirkemo A, Xie L, Vaidya N, Philbin M. Patients with Nephrotic Syndrome (NS) receiving Repository Corticotropin Injection (RCI) or Rituximab (RTX): Real-world (RW) evidence from a US claims analysis [NKF abstract 211]. *Am J Kidney Dis.* 2017;69(4):A69.
65. Nazareth TA, Kariburyo F, Kirkemo A, et al. Patients with focal segmental glomerulosclerosis (FSGS): a claims analysis of clinical and economic outcomes [ASN abstract TH-PO168]. *J Am Soc Nephrol.* 2017;28(suppl):147.
66. Nazareth TA, Kariburyo F, Kirkemo A, et al. Patients with membranous nephropathy (MN): a real-world (RW) clinical and economic analysis. [ASN abstract TH-PO138]. *J Am Soc Nephrol.* 28(suppl):138.

### **Neurology**

67. Alexander L, Cass LJ, Enders M, Sarai K. Adrenocortical response to high dosage ACTH therapy in patients with multiple sclerosis. *Confin Neurol.* 1966;28:1-17. [Link](#)
68. Alexander L, Cass LJ. The present status of ACTH therapy in multiple sclerosis. *Ann Intern Med.* 1963;58:454-471. [Link](#)
69. Alexander L, Cass LJ. Significance of dosage in ACTH therapy of multiple sclerosis. *Trans Am Neurol Assoc.* 1963;88:184-185. [Link](#)
70. Amezcua L, Axtell R, Cen S, et al. Pilot study of monthly pulse adrenocorticotrophic hormone (ACTH) or methylprednisolone as an add-on therapy to beta interferons for long-term treatment of multiple sclerosis [ECTRIMS abstract 1097]. *Mult Scler.* 2013;19(suppl 1):514-515
71. Angappan D, Sahu J, Singhi P, Malhi P. Safety, feasibility and effectiveness of oral Zonisamide monotherapy in comparison to ACTH therapy in infants with West syndrome, a randomized controlled trial [AES abstract 1.265]. Abstract presented at the American Epilepsy Society Annual Meeting 2016, December 2-6, 2016, Houston, TX. 2016.
72. Bailey RO, Sprague CA, Heim RR, Nguyen VA. Use of Acthar Gel for MS exacerbations during Natalizumab induction and maintenance [CMSC/ACTRIMS abstract DX11]. *Int J MS Care.* 2013;15(suppl 3):83
73. Baram TZ, Mitchell WG, Tournay A, Snead OC, Hanson RA, Horton EJ. High-dose corticotropin (ACTH) versus prednisone for infantile spasms: A prospective, randomized, blinded study. *Pediatrics.* 1996;97(3):375-379. [Link](#)

74. Bell S, Vincent J, Hammock V, et al. A comparison of the safety/tolerability and pharmacodynamics of Acthar Gel and methylprednisolone with regimens utilized for the treatment of MS exacerbations [AAN abstract P2.207]. *Neurology*. 2014;82(suppl 10):P2.207
75. Berkovich RR, Maura F, Dawood S. Adrenocorticotrophic hormone treatment of multiple sclerosis exacerbations [CMSC/ACTRIMS abstract DX66]. *Int J MS Care*. 2012;14(suppl 2):66.
76. Berkovich R, Bakshi R, Amezcua L, Axtell RC, Cen SY, Tauhid S, Neema M, Steinman L. Adrenocorticotrophic hormone versus methylprednisolone added to interferon beta in patients with multiple sclerosis experiencing breakthrough disease: A randomized, rater-blinded trial. *Ther Adv Neurol Disord*. 2017;10(1):3-17.
77. Butterfield T, Maquera VA. Preventing new enhancing lesions and relapses after discontinuing Tysabri [CMSC/ACTRIMS abstract DX14]. *Int J MS Care*. 2013;15(suppl 3):84.
78. Cheronis C, Wolak J, Laux L, Berg AT, Millichap JJ. Combination of ACTH and Vigabatrin for the treatment of infantile spasms [AES abstract 3.167]. Abstract presented at the American Epilepsy Society Annual Meeting 2017, December 1-5, Washington, DC. 2017.
79. Demarest ST, Shellhaas RA, Gaillard WD, Keator C, Nickels KC, Hussain SA, Loddenkemper T, Patel AD, Saneto RP, Wirrell E, Sanchez Fernandez I, Chu CJ, Grinspan Z, Wusthoff CJ, Joshi S, Mohamed IS, Stafstrom CE, Stack CV, Yozawitz E, Bluvstein JS, Singh RK, Knupp KG. The impact of hypsarrhythmia on infantile spasms treatment response: Observational cohort study from the National Infantile Spasms Consortium. *Epilepsia*. 2017;58(12):2098-2103. [Link](#)
80. Due BR, Coyle PK, Becker PM, Vollmer T. A prospective observational registry of H.P. Acthar Gel for the treatment of multiple sclerosis relapse [CMSC abstract RT01] *Int J MS Care*. 2017 May;19(suppl 1):78.
81. English JB, Strickland S, English PJ. Methylprednisolone treatment, patient reported tolerance and efficacy [CMSC/ACTRIMS abstract DX11]. *Int J MS Care*. 2016;18(suppl 1):45.
82. Hodgeman RM, Kapur K, Paris A, et al. Effectiveness of once-daily high-dose ACTH for infantile spasms. *Epilepsy Behav*. 2016;59:4-8. [Link](#)
83. Hrachovy RA, Frost JD, Glaze DG. High-dose, long-duration versus low-dose, short-duration corticotropin therapy for infantile spasms. *J Pediatr*. 1994;124(5 Pt.1):803-806. [Link](#)
84. Hrachovy RA, Frost JD, Kellaway P, Zion TE. Double-blind study of ACTH vs prednisone therapy in infantile spasms. *J Pediatr*. 1983;103(4):641-645. [Link](#)
85. Hrachovy RA, Frost JD, Kellaway P, Zion T. A controlled study of ACTH therapy in infantile spasms. *Epilepsia*. 1980;21(6):631-636. [Link](#)
86. Hussain SA, Shinnar S, Kwong G, et al. Treatment of infantile spasms with very high dose prednisolone before high dose adrenocorticotrophic hormone. *Epilepsia*. 2014;55(1):103-107. [Link](#)
87. Javed A, Berkovich R, Hendin B, Miller A, Tornatore C. Use of patient case scenarios to assess current practice patterns of MS relapse assessment and treatment among MS specialists in the United States [ECTRIMS abstract P671]. *Mult Scler*. 2015; 23(sup 11): 329.
88. Knupp KG, Leister E, Coryell J, Nickels KC, Ryan N, Juarez-Colunga E, Gaillard WD, Mytinger JR, Berg AT, Millichap J, Nordli DR Jr, Joshi S, Shellhaas RA, Loddenkemper T, Dlugos D, Wirrell E, Sullivan J, Hartman AL, Kossoff EH, Grinspan ZM, Hamikawa L. Response to second treatment after initial failed treatment in a multicenter prospective infantile spasms cohort. *Epilepsia*. 2016;57(11):1834-1842. [Link](#)
89. Knupp K, Wirrell E, Berg A, Khan S. The national infantile spasms consortium (NISC), A US multicenter initiative to improve treatment and outcomes of infantile spasms: Etiologies, initial therapies and early follow up [AES abstract 1.149]. *Epilepsy Curr*. 2013;14(suppl 1):68-69.
90. Knupp KG, Coryell J, Nickels KC, et al. Response to treatment in a prospective national infantile spasms cohort. *Ann Neurol*. 2016;79(3):475-84. [Link](#)
91. Kossoff EH, Hedderick EF, Turner Z, Freeman JM. A case-control evaluation of the ketogenic diet versus ACTH for new-onset infantile spasms. *Epilepsia*. 2008;49(9):1504-9. [Link](#)
92. Kunker KA, Drake AS, Irwin LN, Khan A, Bucello M, Weinstock-Guttman B, Benedict RHB. Cognitive changes in Multiple Sclerosis patients treated with subcutaneous adrenocorticotrophic hormone for acute relapse. [ECTRIMS abstract P1111]. *ECTRIMS Online Library*. 2016;145795.

93. Kutz C. H.P. Acthar Gel (repository corticotropin injection) treatment of patients with multiple sclerosis and diabetes. *Ther Adv Chronic Dis*. 2016;7(4):190-197. [Link](#)
94. Kutz CF. Repository corticotropin injection relapse treatment in patients with multiple sclerosis and diabetes [ECTRIMS abstract EP1353]. *Mult Scler*. 2015; 23(sup 11): 708
95. Lehrer GM. Treatment of MS with Acthar Gel-clinical experience and case presentation [ANA abstract T1819]. *Ann Neurol*. 2012;72(suppl 16):S114
96. Molitor RE, Stewart J. Home intravenous administration of adrenocorticotrophic hormone in patients with multiple sclerosis. *J Intraven Nurs*. 1988;11(4):249-251. [Link](#)
97. Mytinger JR, Weber A, Heyer GL. The response to ACTH is determined early in the treatment of infantile spasms [AES abstract 3.144]. *Epilepsy Curr*. 2014;14(suppl 1):360
98. Mytinger JR, Weber A, Heyer GL. The response to ACTH is determined early in the treatment of infantile spasms. *Epileptic Disord*. 2015;17(1):52-57. [Link](#)
99. Murray S., Woo A. Clinical experience with repository corticotropin injection in patients with multiple sclerosis experiencing mood changes with intravenous methylprednisolone: A case series. *Ther Adv Neurol Disord*. 2016. 2016;9(3):189-197. [Link](#)
100. Napoli S. ACTH gel in the treatment of multiple sclerosis exacerbation: A case study. *Int Med Case Rep J*. 2015;2015(8):23-27. [Link](#)
101. Nickerson M, Cofield SS, Tyry T, Salter AR, Cutter GR, Marrie RA. Impact of multiple sclerosis relapse: The NARCOMS participant perspective. *Mult Scler Relat Disord*. 2015;4(3):234-240. [Link](#)
102. Pagnotta PA, LaGanke C, Easterling CB Using Acthar in Lemtrada infusion protocol [CMSC/ACTRIMS abstract DX53] *Int J MS Care*. 2017;19(suppl 1):31
103. Park JT, Chugani HT. Epileptic spasms in paediatric post-traumatic epilepsy at a tertiary referral centre. *Epileptic Disord*. 2017;19(1):24-34. [Link](#)
104. Partikian A, Mitchell WG. Major adverse events associated with treatment of infantile spasms. *J Child Neurol*. 2007;22(12):1360-1366. [Link](#)
105. Pauli L, O'Neil R, Ybanez M, Livingston S. Minor motor epilepsy. Treatment with corticotropin (ACTH) and steroid therapy. *JAMA*. 1960;174:1408-1412. [Link](#)
106. Pranzatelli MR, Tate ED, McGee NR, et al. Key role of CXCL13/CXCR5 axis for cerebrospinal fluid B cell recruitment in pediatric OMS. *J Neuroimmunol*. 2012;243(1-2):81-88. [Link](#)
107. Pranzatelli MR, Tate ED, Verhulst SJ, et al. Pediatric dosing of Rituximab revisited: Serum concentrations in opsoclonus-myoclonus syndrome. *J Pediatr Hematol Oncol*. 2010;32(5):e167-e172. [Link](#)
108. Pranzatelli MR, Tate ED, Crowley JM, Toennies B, Creer M. Neurometabolic effects of ACTH on free amino compounds in opsoclonus-myoclonus syndrome. *Neuropediatrics*. 2008;39(3):164-171. [Link](#)
109. Pranzatelli MR, Chun KY, Moxness M, Tate ED, Allison TJ. Cerebrospinal fluid ACTH and cortisol in opsoclonus-myoclonus: Effect of therapy. *Pediatr Neurol*. 2005;33(2):121-126. [Link](#)
110. Pranzatelli MR, Huang YY, Tate E, et al. Monoaminergic effects of high-dose corticotropin in corticotropin-responsive pediatric opsoclonus-myoclonus. *Mov Disord*. 1998;13(3):522-528. [Link](#)
111. Pranzatelli MR, Allison TJ, Tate ED. Effect of low-dose cyclophosphamide, ACTH, and IVIG combination immunotherapy on neuroinflammation in pediatric-onset OMS: A retrospective pilot study. *Eur J Paediatr Neurol*. 2018;[published online: March 5, 2018] [Link](#)
112. Rao JK, Willis J. Hypothalamo-pituitary-adrenal function in infantile spasms: effects of ACTH therapy. *J Child Neurol*. 1987;2(3):220-223. [Link](#)
113. Rose AS, Kuzma JW, Kurtzke JF, Namerow NS, Sibley WA, Tourtellotte WW. Cooperative study in the evaluation of therapy in multiple sclerosis. ACTH vs. placebo--final report. *Neurology*. 1970;20(5):1-59. [Link](#)
114. Ross AP, Halper J, Harris CJ. Assessing relapses and response to relapse treatment in patients with multiple sclerosis: A nursing perspective. *Int J MS Care*. 2012;14(3):148-159. [Link](#)
115. Ross DL. Suppressed pituitary ACTH response after ACTH treatment of infantile spasms. *J Child Neurol*. 1986;1(1):34-37. [Link](#)

116. Ryan N, Coryell J, Nickels K, Mytinger J, Knupp K. The national infantile spasms consortium (NISC): Moving towards standardization of care and improved treatment and outcomes in infantile spasms [AES abstract 3.223]. *Abstract presented at the American Epilepsy Society Annual Meeting 2014*, December 5-9, 2014, Seattle WA.
117. Simsarian JP, Saunders C, Smith DM. Five-day regimen of intramuscular or subcutaneous self-administered adrenocorticotrophic hormone gel for acute exacerbations of multiple sclerosis: A prospective, randomized, open-label pilot trial. *Drug Design*. 2011;5:381-389. [Link](#)
118. Snead OC III, Benton JW, Myers GJ. ACTH and prednisone in childhood seizure disorders. *Neurology*. 1983;33(8):966-970. [Link](#)
119. Snead OC III. Treatment of infantile spasms. *Pediatr Neurol*. 1990;6(3):147-150. [Link](#)
120. Snead OC III, Benton JW, Hosey LC, et al. Treatment of infantile spasms with high-dose ACTH: Efficacy and plasma levels of ACTH and cortisol. *Neurology* 39. 1989;39(8):1027-1031. [Link](#)
121. Tanritanir A, Jafarpour S, Rakesh K, Connolly J, Xiaofan W, Harini C, Loddenkemper T. Electrophysiological and clinical biomarkers of ACTH (Acthar Gel) treatment [AES abstract 1.104]. Abstract presented at the American Epilepsy Society Annual Meeting 2017, December 1-5, Washington, DC. 2017.
122. Tate ED, Pranzatelli MR, Verhulst SJ, et al. Active comparator-controlled, rater-blinded study of corticotropin-based immunotherapies for opsoclonus-myoclonus syndrome. *Journal of Child Neurology*. 2012;27(7):875-884. [Link](#)
123. Taylor JB, Young WO, Rutar T. Posterior subcapsular cataracts in children receiving adrenocorticotrophic hormone (ACTH) for infantile spasms. *J Child Neurol*. 2010;25(8):1017-1019. [Link](#)
124. Vajjala V, Hosain S. GRIN2A mutation with refractory epilepsy and response to ACTH therapy [AES abstract 2.097]. Abstract presented at the American Epilepsy Society Annual Meeting 2016, December 2-6, 2016, Houston, TX. 2016
125. VanMeter S, Becker P, Lester M, Fang L, Zhao E. Post-Hoc analyses using PRO-ACT Database (PRO-ACT) to evaluate Repository Corticotropin Injection (RCI; H.P. Acthar® Gel) as a potential treatment for ALS. Abstract presented at the 16th Annual NEALS Meeting, October 3-5, 2017, Clearwater Beach, FL. 2017.
126. VanMeter S, Becker P, Mackey L, Fang L, Zhao E. Post hoc analysis using PRO-ACT database to evaluate Repository Corticotropin Injection (HP Acthar® Gel) as a potential treatment for ALS [AAN abstract P5. 327]. *Neurology*. 2018;90(15 suppl):P5.32
127. Wang J, Wang J, Zhang Y, et al. Proteomic analysis of adrenocorticotrophic hormone treatment of an infantile spasm model induced by N-methyl-D-aspartic acid and prenatal stress. *PLoS One*. 2012;7(9):e45347. [Link](#)
128. Waternberg N. Infantile spasms: Treatment challenges. *Curr Treat Options Neurol*. 2012;14:322-331. [Link](#)
129. Weber A, Cole JW, Mytinger JR. Infantile spasms respond poorly to topiramate. *Pediatr Neurol* 2015;53(2):130-134. [Link](#)
130. Williamson A, Smrtka J, Flemming Tracy T, et al. Assessing relapse in multiple sclerosis (ARMS) questionnaire: Pilot study [ECTRIMS abstract DX59]. *Mult Scler*. 2013;15(suppl 3):329-105
131. Wray CD, Benke TA. Effect of price increase of adrenocorticotrophic hormone on treatment practices of infantile spasms. *Pediatr Neurol*. 2010;43:163-166. [Link](#)
- Neurology – HEOR**
132. Banfe EN, Polyakov JL, Waltrip R, Dickson RB Understanding patient underreporting of MS relapses: insights from patients with multiple sclerosis from the Harris Poll 2017 survey [ECTRIMS - ACTRIMS abstract P1267] *Mult Scler*. 2017;23(S3):676.
133. Fox RJ, Templeton D, Leshner B, Malhotra M. Relapse Management in Relapsing-Remitting Multiple Sclerosis (RRMS): Results from a Real-World Analysis of Treatment Patterns [CMSC/ACTRIMS abstract SX11]. *Int J MS Care*. 2016;18(suppl 1):98.
134. Fox RJ, Acot JR, Leshner BA, Malhotra M. Relapse management in RRMS: real-world characteristics of steroid-treated patients [ECTRIMS abstract P670]. *Mult Scler*. 2015; 23(sup 11): 328-329.

135. Gold LS, Nazareth T, Tzy-Chyi Y, Fry K, Hansen R. Medication utilization patterns prior to repository corticotropin injection in patients with infantile spasms [AES abstract 3.279]. Abstract presented at the American Epilepsy Society Annual Meeting 2017, December 1-5, Washington, DC. 2017
136. Gold LS, Schepman PB, Wang W-J, Philbin M, Niewoehner J, Damal K, Hansen RN. Healthcare costs and resource utilization in patients with Infantile spasms treated with H.P. Acthar Gel®. *Adv Ther.* 2016;33(8):1293-1304. [Link](#)
137. Gold LS, Suh K, Schepman PB, Damal K, Hansen RN. Healthcare costs and resource utilization in patients with multiple sclerosis relapses Treated with H.P. Acthar Gel®. *Adv Ther.* 2016;33(8):1279-1292. [Link](#)
138. Gold LS, Schepman P, Niewoehner J, Philbin M, Hansen R. Healthcare resource use and costs of adrenocorticotrophic hormone in relapses of Multiple Sclerosis [WCI abstract B036]. *Inflamm Res.* 2015; 64(suppl 2): S116.
139. Hansen R, Gold L, Schepman P, Niewoehner J, Philbin M. Economic consequences of early versus late use of adrenocorticotrophic hormone therapy in infantile spasms [WCI abstract LB10]. Late-breaker abstract presented at *World Congress of Inflammation Meeting*; August 8-12, 2015; Boston, MA. 2015
140. Havrdova E, Bell SJ, Herman DS, Jeffery D, Nicholas JA, Tornatore C. Current MS relapse assessment practices determined by a modified Delphi process [ECTRIMS abstract EP1276]. *Mult Scler.* 2015; 23(sup 11):667
141. Khan O, Berkovich R, Hendin B, Javed A, Miller A, Tornatore C. Current practice patterns of MS relapse management among MS specialists in the United States: survey results of the MS relapse practice patterns project [ECTRIMS abstract EP1356]. *Mult Scler.* 2015; 23(suppl 11):709.
142. Nazareth T, Philbin M, Gallagher J, Heap K, Carrol S, Böing EA. Medical resource utilization in patients with infantile spasms after receipt of Repository Corticotropin Injection (H.P. Acthar Gel): results of a physician survey [AAN abstract P3.219]. *Neurology.* 2017;88(suppl 16):P3.219.
143. Nazareth T, Purser M, Bhaila R, Philbin M, Mladi D. The economic burden of moderate-to-severe Multiple Sclerosis relapse in the United States: findings from a systematic literature review [AAN abstract P3.402]. *Neurology.* 2017;88(suppl 16):P3.402.
144. Nazareth T, Polyakov L, Banfe EN, Waltrip RW, Zerkowski K, Herbert LW. Relapse prevalence, symptoms and healthcare engagement: insights from patients with multiple sclerosis from the multiple sclerosis in America 2017 survey [ECTRIMS - ACTRIMS abstract P805]. *Mult Scler.* 2017;23(S3):414-415.
145. Nazareth T, Datar M, Sheer R, Yu TC, Schwab P. MS relapse treatments and relapse resolution: retrospective study results from a US health plan [ECTRIMS-ACTRIMS abstract P809]. *Mult Scler.* 23(S3):416-417.
146. Nazareth T, Sheer R, Datar M, Schwab P, Yu T-C. Relapse resolution and HCRU in patients with multiple sclerosis: a retrospective study of relapse therapy alternatives to corticosteroids [ECTRIMS-ACTRIMS abstract EP1425]. *Mult Scler.* 2017;23(S3):750-751.
147. Njue A, Damal K, Lyall M, Costello J, Heyes A, Philbin M. Efficacy and safety of treatments for acute relapses of multiple sclerosis: Results of a systematic literature review [AMCP abstract G23]. *J Managed Care Spec Pharm.* 2016;22(suppl 4-a):S70
148. Pellock JM, Hrachovy R, Shinnar S, et al. Infantile spasms: A U.S. consensus report. *Epilepsia.* 2010;51: 2175-2189. [Link](#)

## Ophthalmology

149. Agarwal A, Hassan M, Sepah YJ, Do Diana V, Nguyen QD. Subcutaneous repository corticotropin gel for non-infectious panuveitis: Reappraisal of an old pharmacologic agent. *Am J Ophthalmol Case Rep.* 2016;4:78-82.
150. Bowden AN, Bowden PM, Friedmann AI, Perkin GD, Rose FC. A trial of corticotrophin gelatin injection in acute optic neuritis. *J Neurol Neurosurg Psychiatry.* 1974;37(8):869-873. [Link](#)
151. Crane AB, Sharon Y, Chu DS. Repository corticotropin injection (RCI) in ocular inflammation: a case series and literature review [ARVO abstract 427-A0245]. Abstract presented at the



- Annual Meeting of the Association for Research in Vision and Ophthalmology April 29 - May 03, 2018. Honolulu, Hawaii. April 2018.
152. Eadie S, Thompson M. Kerato-conjunctivitis sicca treated with cortisone and ACTH. *Br J Ophthalmol*. 1955;39(2):90-97. [Link](#)
  153. Levy-Clarke G, Taylor A, Cartaya M, Yee D, Kempen J To evaluate the possible safety and effectiveness of HP Acthar in patients with active uveitis [IOIS abstract]. Abstract presented at the 14th congress of the International Ocular Inflammation Society, October 18-21, 2017, Lausanne, Switzerland. 2017.
  154. Sharon Y, Chu DS, Sharon Y, Chu DS, Sharon Y, Chu DS. Adrenocorticotrophic hormone analogue as novel treatment regimen in ocular cicatricial pemphigoid. *Am J Ophthalmol Case Rep*. 2018;10:264-267.
  155. Thorpe HE. ACTH and cortisone in ocular trauma in eye surgery: A preliminary report. *Proceedings of the Second Clinical ACTH Conference*. 1951;2(25):340-361.
  156. Yael S, Chu DS. ACTH analogue as treatment regimen in three cases of pan-uveitis and one case of ocular cicatricial pemphigoid [IOS abstract]. Abstract presented at the 14th Congress of the International Ocular Inflammation Society, October 18-21, 2017, Lausanne, Switzerland. 2017.

### Ophthalmology HEOR

157. Nelson W, Rice JB, White JB, Lopez A, Reiff J, Bartels-Peculis L, Ciepielewska G, Lima F, Albini TA. Healthcare resource use, characteristics, and predictors of high-cost patients with non-infectious inflammatory eye disease (NIIED) in a commercially-insured US population [ARVO abstract 5223 - B0336]. Abstract presented at the Association for Research in Vision and Ophthalmology Meeting April 29-May 3, 2018 Honolulu, HI. 2018.
158. Rice J, White A, Scarpati L, Philbin M, Wan G, Nelson W. Burden of noninfectious inflammatory eye diseases: a systematic literature review [AMCP abstract H1]. *J Manag Care Spec Pharm*. 2017;23(3-a):S67.

### Pulmonology

159. Baughman RP, Barney JB, O'Hare L, Lower EE. A retrospective pilot study examining the use of Acthar Gel in sarcoidosis patients. *Respir Med*. 2016;110:66-72. [Link](#)
160. Baughman R, Fernandez-Ulloa M, Shipley R, Thompson F, Lower E. Acthar Gel for chronic pulmonary sarcoidosis: Role of positive emission tomography in initial assessment and in response to therapy [Chest abstract]. *Chest*. 2015;148(4):392A.
161. Baughman RP, Lower EE, Lanier O'Hare, Barney JB. Acthar Gel for refractory sarcoidosis [ATS abstract A3743]. *Am J Respir Crit Care Med*. 2015;191(suppl):A3743-A3743.
162. Baughman RP, Sweiss N, Keijsers R, Birring SS, Shipley R, Saketkoo LA, Lower EE. Repository corticotropin for Chronic Pulmonary Sarcoidosis. *Lung*. 2017; 195(3):313-322. [Link](#)
163. Baughman RP, Sweiss N, Keijsers RG, Shipley R, Birring S, Saketkoo L, Lower EE. Repository corticotropin (RCI) for chronic pulmonary sarcoidosis: a single blind prospective study dose finding study [ATS abstract]. *Am J Respir Crit Care Med*. 2017;195:A4751.
164. Culver D, Abraham S, Lower E, Baughman R. Changes in the cytokine profile of sarcoidosis patients treated with Acthar Gel [Chest abstract]. *Chest*. 2016;150(4 suppl):513A.
165. McGuire SA, Tomasovic JJ, Stevens EA. Improvement with corticotropin of relapsing central nervous system sarcoidosis during prednisone therapy: Case report. *Mil Med*. 1983;148(5):419-420. [Link](#)
166. Modi A, Ilyas F, Rane N, Judson MA. Acthar Gel for sarcoidosis associated calcium dysregulation [ATS abstract A4749]. *Am J Respir Crit Care Med*. 2017;195:A4749.
167. Salomon A, Appel B, Collins SF, Herschfus JA, Segal MS. Sarcoidosis: Pulmonary and skin studies before and after ACTH and cortisone therapy. *Dis Chest*. 1956;29(3):277-291. [Link](#)
168. Zhou Y, Lower EE, Li H, Baughman RP. Sarcoidosis patient with lupus pernio and infliximab-induced myositis: Response to Acthar Gel. *Respir Med Case Rep*. 2016;17:5-7. [Link](#)

### Pulmonology – HEOR

169. Knight T, Philbin M, Bond C, et al. Patterns and predictors of repository corticotropin injection therapy use in patients with sarcoidosis [AMCP abstract D06]. *J Managed Care Spec Pharm.* 2016;22(suppl 4-a):S42
170. Philbin M. Resource utilization and costs in sarcoidosis patients in a commercially-insured US population [ICRPM abstract]. Abstract presented at the 2nd International Conference on Respiratory and Pulmonary Medicine 2016, October 17-18, 2016, Chicago, IL.
171. Rice, JB, White A, Lopez A, Nelson WW. High-cost sarcoidosis patients in the United States: patient characteristics and patterns of health care resource utilization. *J Manag Care Pharm.* 2017;23(12):1261-1269. [Link](#)

### Rheumatology

172. Aggarwal R, Marder G, Koontz DC, Nandkumar P, Qi Z, Oddis CV. Efficacy and safety of adrenocorticotrophic hormone gel in refractory dermatomyositis and polymyositis. *Ann Rheum Dis.* 2017;[published online: December 13, 2017]. [Link](#)
173. Aggarwal R, Marder G, Loganathan P, et al. Efficacy and safety of adrenocorticotrophic hormone gel (Acthar Gel®) in refractory dermatomyositis or polymyositis [ACR/ARHP abstract 2363]. *Arthritis Rheumatol.* 2015;67(suppl 10).
174. Aggarwal R, Marder G, Koontz DC, Nandkumar P, Qi Z, Oddis CV. Efficacy and safety of adrenocorticotrophic hormone gel in refractory dermatomyositis and polymyositis. *Ann Rheum Dis.* 2018;77(5):720-727 [Link](#)
175. Bacon PA, Daly JR, Myles AB, Savage O. Hypothalamo-pituitary-adrenal function in patients on long-term adrenocorticotrophin therapy. *Ann Rheum Dis.* 1968;27(1):7-13. [Link](#)
176. Becker P, Furie R, Mitrane M, Zhao E. Repository Corticotropin Injection (RCI) attenuates disease activity in patients with persistently active systemic lupus erythematosus (SLE) requiring corticosteroids: results from a 44-week open-label extension study [EULAR abstract THU0307]. *Ann Rheum Dis.* 2016;75(suppl 2):298-299.
177. Brown AN. Adrenocorticotrophic hormone gel in patients with refractory rheumatoid arthritis: A case series. *Int J Clin Rheumtol.* 2015;10(6):391-398.
178. Brown AN. Repository corticotropin injection in patients with refractory psoriatic arthritis: A case series. *Open Access Rheumatol.* 2016;8(1179-156X):97-102. [Link](#)
179. Carey RA., Harvey AM, Howard JE. The effect of adrenocorticotrophic hormone (ACTH) and cortisone on the course of disseminated lupus erythematosus and peri-arteritis nodosa. *Bull Johns Hopkins Hosp.* 1950;87(5):425-460. [Link](#)
180. Carter ME, James VH. Effect of corticotrophin therapy on pituitary-adrenal function. *Ann Rheum Dis.* 1970;29(1):73-80. [Link](#)
181. Clark WS, Tønning HO, Kulka JP, Bauer W. Observations on the use of cortisone and ACTH in rheumatoid arthritis. *N Engl J Med.* 1953;249(16):635-642. [Link](#)
182. Daly JR, Fletcher MR, Glass D, Chambers DJ, Bitensky L, Chayen J. Comparison of effects of long-term corticotrophin and corticosteroid treatment on responses of plasma growth hormone, ACTH, and corticosteroid to hypoglycaemia. *Br Med J.* 1974;2(5918):521-524. [Link](#)
183. Decker D, Furie R, Li D, Mathura E, Becker PM. Plasma Soluble Vascular Adhesion Molecule-1 (sVCAM-1) as an exploratory marker of response to therapy in patients with persistently active systemic lupus erythematosus (SLE), [Int Congress SLE P4.25] *Clin Exp Rheum.* 2015;33(3 suppl 90): S34
184. Donnelly P, Cooke D. A study of the combined effect of ACTH(gel) and D-penicillamine on the functional disability of patients with rheumatoid disease. *J Rheumatol.* 1982;9(6):867-872. [Link](#)
185. Fernandez AP. Interim results of an open-label study assessing efficacy and safety of H.P. Acthar Gel for the treatment of refractory cutaneous manifestations of dermatomyositis [RDS abstract]. Abstract presented at the Rheumatologic Dermatology Society Annual Meeting 2016, November 12, 2016, Washington, DC.
186. Fiechtner JJ, Montroy T, June J, Huyhn-Duc J. A single-site, investigator-initiated, open-label trial of the adrenocorticotrophic hormone analog H.P. Acthar Gel (repository corticotropin

- injection) among subjects with active systemic lupus erythematosus [Int Congress SLE abstract P4.20] *Clin Exp Rheum.* 2015;33(3 Suppl 90): S32
187. Fiechtner JJ, Montroy T. Treatment of moderately to severely active systemic lupus erythematosus with adrenocorticotrophic hormone: a single-site, open-label trial. *Lupus.* 2014;23(9):905-912. [Link](#)
  188. Fischer PA, Rapoport RJ. Repository corticotropin injection in patients with rheumatoid arthritis resistant to biologic therapies. *Open Access Rheumatology.* 2018;10:13-19. [Link](#)
  189. Fischer P, Rapoport R. Treatment refractory rheumatoid arthritis: is repository corticotropin injection (RCI) an effective option in patients resistant to biologic therapies? (A pilot study). [ECR abstract AB0397] *Ann Rheum Dis.* 2016;75(suppl 2):1041-1041.
  190. Fiechtner J, Montroy T. Six months' treatment of moderately to severely active systemic lupus erythematosus with Repository Corticotropin injection: An extension of a single-site, open-label trial. *J Immunol Clin Res.* 2016;3(1):1025.
  191. Friedman M, Marshall-Jones P, Ross EJ. Cushing's syndrome: Adrenocortical hyperactivity secondary to neoplasms arising outside the pituitary-adrenal system. *Q J Med.* 1966;35(138):193-214. [Link](#)
  192. Furie RA, Mitrane M, Zhao E, Becker PM. Repository corticotropin injection in patients with persistently active SLE requiring corticosteroids: post hoc analysis of results from a two-part, 52-week pilot study. *Lupus Sci Med.* 2017;4(1):e000240. [Link](#)
  193. Furie RA, Mitrane M, Zhao E, Becker P. Measures of disease activity in patients with persistently active systemic lupus erythematosus (SLE): results from a two-part 52 week pilot study of repository corticotropin injection (H.P. Acthar Gel) [ACR Abstract 757]. 2016;68(suppl 10):1009-1010.
  194. Furie R, Das M, Li D, Coffie J, Smythe S, Mathura E, Becker, PM. H.P. Acthar Gel (Acthar) attenuates disease activity in patients with persistently active systemic lupus erythematosus (SLE) requiring corticosteroids. [Int Congress SLE P4.13]. *Clin Exp Rheum.* 2015;33(3 suppl 90): S31.
  195. Furie R, Das M, Li D, Smythe S, Mathura E, Becker P. Repository corticotropin injection (H.P. Acthar® Gel) attenuates disease activity in patients with persistently active systemic lupus erythematosus (SLE) requiring corticosteroids [ACR abstract 727]. *Arthritis Rheumatol.* 2015; 67 (suppl 10).
  196. Furie R, Mitrane M, Zhao E, Das M, Li D, Becker PM. Efficacy and tolerability of repository corticotropin injection in patients with persistently active SLE: results of a phase 4, randomised, controlled pilot study. *Lupus Sci Med.* 2016;3(1):e000180. [Link](#)
  197. Gaylis NB, Needell S, Sagliani J. The effect of adrenocorticotropin gel (HP Acthar Gel) in combination with MTX in newly diagnosed RA patients from a clinical and structural perspective [ACR/ARHP abstract 2732]. *Arthritis Rheumatol.* 2015;67(suppl 10).
  198. Gaylis N, Needell S, Sagliani J. The effect of corticotropin (ACTH 80 units weekly or biweekly) in combination with MTX in newly diagnosed RA patients from a clinical and structural perspective as measured by a CDAI score and osteitis, synovitis, and erosions on MRI [EULAR abstract AB0503]. *Ann Rheum Dis.* 2015;74(suppl 2):1066-1067
  199. Gillhespy RO. The evaluation of long-acting ACTH in the treatment of chronic rheumatoid arthritis. *Br J Clin Pract.* 1963;17:721-723. [Link](#)
  200. Gillis TM, Crane M, Hinkle C, Wei N. H.P. Acthar® Gel (repository corticotropin injection) as adjunctive therapy in patients with rheumatoid arthritis who have failed at least three biologic therapies with different modes of action [EULAR abstract AB0502]. *Ann Rheum Dis.* 2015;74(suppl 2):1066-1066
  201. Gillis T, Crane M, Hinkle C, Wei N. Repository corticotropin injection as adjunctive therapy in patients with rheumatoid arthritis who have failed previous therapies with at least three different modes of action. *Open Access Rheumatol.* 2017;9:131-138.
  202. Glass D, Daly JR. Development of antibodies during long-term therapy with corticotrophin in rheumatoid arthritis. I. porcine ACTH. *Ann Rheum Dis.* 1971;30(6):589-592. [Link](#)
  203. Hench PS, Kendall EC, Slocumb CH, Polley HF. Effects of cortisone acetate and pituitary ACTH on rheumatoid arthritis, rheumatic fever and certain other conditions. *Arch Intern Med.* 1950;85(4):545-666. [Link](#)

204. Levine T, Malone J, Efthimiou P, Rup T. HP Acthar® Gel in dermatomyositis and polymyositis treatment registry: an interim analysis. *J Neurol Disord.* 2016;4(5):292 1-6.
  205. Levine T. Acthar in dermatomyositis and polymyositis treatment registry: An interim analysis.[AAN abstract P7.065]. *Neurology.* 2015;84(suppl 14):P7.065
  206. Levine T. Treating refractory dermatomyositis or polymyositis with adrenocorticotrophic hormone gel: A retrospective case series. *Drug Des Devel Ther.* 2012;6:133-139. [Link](#)
  207. Li X, Golubovsky J, Hui-Yuen J, et al. Adrenocorticotrophic hormone gel in the treatment of systemic lupus erythematosus: A retrospective study of patients. [version 2]. *F1000Res.* 2015;4(1103):1103. [Link](#)
  208. Madan E, Garber C, Saraiya A, Gottlieb AB. Assessment of the use of adrenocorticotrophic hormone in psoriatic arthritis. *Journal of Psoriasis and Psoriatic Arthritis.* 2015;1(1):52-58
  209. Meliambro K, Sharma S, Campbell KN. Treatment-refractory FSGS in a patient with systemic lupus erythematosus [ASN abstract FR-PO649]. *J Am Soc Nephrol.* 2014;25(suppl):206A.
  210. Nelson JK, Mackay JS, Sheridan B, Weaver JA. Intermittent therapy with corticotrophin. *Lancet.* 1966;2(7454):78-83. [Link](#)
  211. Patel A, Seely G, Aggarwal R. Repository corticotropin injection for treatment of idiopathic inflammatory myopathies. *Case Rep Rheumatol.* 2016;2016(9068061):1-4.
  212. Pegram SB. The efficacy and tolerability of H.P. Acthar® Gel (repository corticotropin injection) for the treatment of systemic lupus erythematosus [EULAR abstract AB0531]. *Ann Rheum Dis.* 2015;74(suppl 2):1077-1078
  213. Savage O, Davis PS, Chapman L, Wickings J, Robertson JD, Copeman WSC. Corticotrophin (ACTH) in rheumatoid arthritis. *Ann Rheum Dis.* 1959;18:100-110. [Link](#)
  214. Wedgwood RJ, Janeway CA. Serum complement in children with collagen diseases. *Pediatrics.* 1953;11(6):569-581. [Link](#)
  215. West HF. Purified ACTH gel control of therapy in rheumatoid patients. *Ann Rheum Dis.* 1954;13(1):56-58. [Link](#)
  216. West HF, Newns GR. Allergy to bovine ACTH (adrenocorticotrophic hormone). *Lancet.* 1952;262:1308.
  217. Wolff M, Mancuso C, Lal K, Dicostanzo D, Gropper C. Paraneoplastic dermatomyositis with cutaneous and myopathic disease responsive to adrenocorticotrophic hormone therapy. *J Clin Aesthet Dermatol.* 2017;10(1):57-62. [Link](#)
  218. Zutshi DW, Friedman M, Ansell BM. Corticotrophin therapy in juvenile chronic polyarthritis (still's disease) and effect on growth. *Arch Dis Child.* 1971;46(249):584-593. [Link](#)
- Rheumatology – HEOR**
219. Knight T, Bond C, Popelar B, Wang L, Philbin M. Medical resource utilization in dermatomyositis/polymyositis patients treated with repository corticotropin injection, intravenous immunoglobulin, and/or rituximab [ASHP abstract 36-M] . Abstract presented at the American Society of Health-Systems Pharmacists Summer Meeting and Exhibition 2016; June 11-15, 2016; Baltimore, MD: 706.
  220. Knight T, Bond TC, Popelar B, Wang L, Niewoehner JW, Anastassopoulos K, Philbin M. Medical resource utilization in dermatomyositis/polymyositis patients treated with repository corticotropin injection, intravenous immunoglobulin, and/or rituximab. *Clinicoecon Outcomes Res.* 2017;9:271-279 [Link](#)
  221. Myung G, Nelson W, McMahan MA. Effects of repository corticotropin injection on medication use in patients with rheumatologic conditions: a claims data study [ACR abstract 2236]. *Arthritis Rheumatol.* 2016;68(suppl 10):2895-2897.
  222. Myung GMD, Nelson WW, PMSMBA, McMahan MAMD. Effects of repository corticotropin injection on medication use in patients with rheumatologic conditions: a claims data study. *J Pharm Technol.* 2017;33(4):151-155.
  223. Nelson WW, Philbin MJ, Gallagher JR, Heap K, Carroll S, Wan GJ. A retrospective medical record review of utilization patterns and medical resource use associated with repository corticotropin injection among patients with rheumatologic diseases in the United States. *Rheumatol Ther.* 2017;4(2):465-474. [Link](#)
  224. Rice JB, White A, Galebach P, Lopez A, Schepman P, Popelar B, Philbin M, Boing E. The economic burden of dermatomyositis and polymyositis in the US [ACR Abstract 1237]. *Arthritis Rheumatol.* 2016;68(suppl 10):1568-1569.

225. Rice BJ, White A, Lopez A, P, Schepman P, Popelar B, Philbin M. Healthcare resource utilization and work loss in dermatomyositis and polymyositis patients in a privately-insured US population. *J Med Econ.* 2016;1-6. [Link](#)
226. Rice J, White A, Lopez A, Galebach P, Schepman P, Popelar B, Philbin M. Healthcare resource utilization and work loss in dermatomyositis and polymyositis patients in a privately insured population in the United States [AMCP abstract M14]. *J Managed Care Spec Pharm.* 2015; 21(suppl 10-a):S71.
227. Wu B, Deshpande G, Gu T, Popelar B, Philbin M, Wan GJ. Demographics, treatment patterns, and healthcare utilization and cost of repository corticotropin injection in patients with systemic lupus erythematosus or rheumatoid arthritis. *J Med Econ.* 2017;20(11):1170-1177. [Link](#)
228. Wu B, Deshpande G, Popelar B, Wan G, Philbin M. Real-world treatment patterns and demographic, clinical and economic characteristics of rheumatoid arthritis patients initiating repository corticotropin injection therapy [ASHP abstract 33-T]. Abstract presented at the American Society of Health-Systems Pharmacists Summer Meeting and Exhibition 2016; June 11-15, 2016; Baltimore, MD:
229. Wu B, Deshpande G, Tunceli O, Gu T, Popelar B, Philbin M, Damal K, Schepman P, Wan G I. Real-world treatment patterns and demographic, clinical, and economic characteristics of systemic lupus erythematosus (SLE) patients initiating repository corticotropin injection therapy [AMCP abstract M17]. *J Managed Care Spec Pharm.* 2016;22(suppl 4-a):S107

### Other

230. Aber GM, Chandler GN, Hartfall SJ. Cortisone and A.C.T.H. in treatment of non-rheumatic conditions. *Br Med J.* 1954;1(4852):1-8. [Link](#)
231. Adler GK, Kinsley BT, Hurwitz S, Mossey CJ, Goldenberg DL. Reduced hypothalamic-pituitary and sympathoadrenal responses to hypoglycemia in women with fibromyalgia syndrome. *Am J Med.* 1999;106(5):534-543. [Link](#)
232. Appel GB, Appel AS. New diagnostic tests and new therapies for glomerular diseases. *Blood Purif.* 2013;35:81-85. [Link](#)
233. Arnason BG, Berkovich R, Catania A, Lisak RP, Zaidi M. Mechanisms of action of adrenocorticotrophic hormone and other melanocortins relevant to the clinical management of patients with multiple sclerosis. *Mult Scler.* 2013;19:130-136. [Link](#)
234. Arrat H, Lukas TJ, Siddique T. ACTH (Acthar Gel) reduces toxic SOD1 protein linked to amyotrophic lateral sclerosis in transgenic mice: A novel observation. *PLoS One.* 2015;10(5):e0125638. [Link](#)
235. Arya R, Shinnar S, Glauser TA. Corticosteroids for the treatment of infantile spasms: A systematic review. *J Child Neurol.* 2012;27(10):1284-1288. [Link](#)
236. Avelar TN, Hever A, Batech M, et al. Distribution of primary glomerulonephropathies among hispanics [ASN abstract SA-PO839]. *J Am Soc Nephrol.* 2014;25(suppl):831A
237. Baram TZ. What are the reasons for the strikingly different approaches to the use of ACTH in infants with West Syndrome? *Brain and Development.* 2001;7:647-648. [Link](#)
238. Benjamins JA, Nedelkoska L, Lisak RP. Melanocortin receptor subtypes are expressed on cells in the oligodendroglial lineage and signal ACTH protection. *J Neurosci Res.* 2018;96(3):427-435. [Link](#)
239. Benko AL, Mcaloose CA., Becker PM, Wright D, Sunyer T, Kawasawa YI, Olsen NJ, Kovacs WJ. Repository corticotrophin injection exerts direct acute effects on human B cell gene expression distinct from the actions of glucocorticoids. *Clin Exp Immunol. Clin Exp Immunol.* 2018;192(1):68-81. [Link](#)
240. Bergwall L, Elvin J, Wallentin HI, Haraldsson B, Nystrom JC, Buvall L. Unbiased Phosphoproteomic Approach Identifies Podocyte Protective Pathways Downstream the Melanocortin-1 Receptor [ASN abstract TH-PO238]. *J Am Soc Nephrol.* 2016;27(suppl):148A.
241. Berkovich RR. Acute Multiple Sclerosis Relapse. *Continuum (Minneap Minn).* 2016;22(3):799-814. [Link](#)
242. Berkovich R, Agius MA. Mechanisms of action of ACTH in the management of relapsing forms of multiple sclerosis. *Ther Adv Neurol Disord.* 2014;7(2):83-96. [Link](#)

243. Berkovich R. Treatment of acute relapses in multiple sclerosis. *Neurotherapeutics*. 2013;10(1):97-105. [Link](#)
244. Berkovich R, Amezcu L, Subhani D, Cen S. Pilot study of monthly pulse adrenocorticotrophic hormone (ACTH) or methylprednisolone as an add-on therapy to beta-interferons for long-term treatment of multiple sclerosis [AAN abstract]. *Neurology*. 2013;80:e205-e206
245. Berkovich R, Amezcu L, Fernandez M, Subhani D, Kravtsova I. Monthly pulse adrenocorticotrophic hormone (ACTH) or methylprednisolone therapy for long-term treatment of multiple sclerosis as an add-on therapy to beta-interferons: Current status of the pilot study [AAN abstract P04.147]. *Neurology*. 2012;78(suppl 1):22-P04.147
246. Besser GM, Butler PW, Plumpton FS. Adrenocorticotrophic action of long-acting tetracosactrin compared with corticotrophin-gel. *BMJ*. 1967;4(5576):391-394. [Link](#)
247. Bomback AS, Jai R, James EB, et al. The treatment of resistant nephrotic syndrome with Acthar Gel (ACTH) [ASN abstract SA-FC409]. *J Am Soc Nephrol*. 2010;21(suppl):93A
248. Bomback AS, Radhakrishnan, J, Pietro AC, Gerald BA. Treatment of resistant glomerular diseases with ACTH gel: A prospective trial [ASN SA-PO2471]. *J Am Soc Nephrol*. 2011;22(suppl):776A-777A
249. Bomback AS, Radhakrishnan J. Treatment of nephrotic syndrome with adrenocorticotrophic hormone (ACTH). *Discov Med*. 2011;12(63):91-96. [Link](#)
250. Bonkowsky JL, Filloux FM, Byington CL. Herpes simplex virus central nervous system relapse during treatment of infantile spasms with corticotropin. *Pediatrics*. 2006;117(5):e1045-e1048. [Link](#)
251. Brod SA, Hood ZM. Ingested (oral) ACTH inhibits EAE. *J Neuroimmunol*. 2011;232(1-2):131-135. [Link](#)
252. Brod SA, Morales MM. Bio-equivalence of IM and SQ H.P. Acthar Gel. *Biomed Pharmacother*. 2009;63:251-253. [Link](#)
253. Brod SA, Bauer V, Hood Z. Oral ACTH (H.P. Acthar Gel) inhibits IL-1 and IL-17 secretion in humans. *Biomed Pharmacother*. 2012;66(1):36-39. [Link](#)
254. Brunson KL, Khan N, Eghbal-Ahmadi M, Baram TZ. Corticotropin (ACTH) acts directly on amygdala neurons to down-regulate corticotropin-releasing hormone gene expression. *Ann Neurol*. 2001;49(3):304-312. [Link](#)
255. Cady R, Mechtler L, McAllister P, Rothrock J, Manley H, Cady R. A randomized, open-label, parallel two-arm study evaluating the efficacy of H.P. Acthar injection gel in the treatment of adults with treatment resistant chronic migraine [AAN abstract P2.210]. *Neurology*. 2016;86(suppl 16):P2.210
256. Cape CA, Arbona NJ. Correlation of the clinical response to ACTH treatment with the endocrine status in myasthenia gravis. *South Med J*. 1973;66(9):1011-101. [Link](#)
257. Cavallari M, Palotai M, Prieto JC, Healy BC, Egorova S, Polgar-Turcsanyi M, Anderson M, Glanz B, Chitnis T, Guttmann CRG. Fatigue predicts conversion to secondary progressive disease phenotype in relapsing-remitting multiple sclerosis patients [ECTRIMS abstract P922]. *Mult Scler*. 2015; 23(sup 11): 46
258. Cheng B, Chou SC, Abraham S, Kowal J. Effects of prolonged ACTH-stimulation on adrenocortical cholesterol reserve and apolipoprotein E concentration in young and aged Fischer 344 male rats. *J Steroid Biochem Mol Biol*. 1998;66(5-6):335-345. [Link](#)
259. Clemson CM, Yost J, Taylor AW. The role of alpha-MSH as a modulator of ocular immunobiology exemplifies mechanistic differences between melanocortins and steroids. *Ocul Immunol Inflamm*. 2016:1-11. [Link](#)
260. Cravedi P, Campbell KN. ACTH action on podocytes: Mystery solved? *Am J Physiol Renal Physiol*. 2016;310(11):F1178-F1179. [Link](#)
261. Cusick MF, Libbey JE, Oh L, Jordan S, Fujinami RS. Acthar Gel treatment suppresses acute exacerbations in a murine model of relapsing-remitting multiple sclerosis. *Autoimmunity*. 2015;48(4):222-230. [Link](#)
262. Decker D, Grant C, Oh L, Becker P, Young D, Jordan S. Immunomodulatory effects of H.P. Acthar Gel on B cell development in the NZB/W F1 mouse model of systemic lupus erythematosus. *Lupus*. 2014;23:802-812. [Link](#)
263. Decker D, Higgins P, Bendele A, Becker P. Repository corticotropin injection (H.P. Acthar® Gel) attenuates established collagen-induced arthritis when used alone or as adjuvant

- therapy with Etanercept (Enbrel®) [AAI abstract THER5P.902]. *J Immunol.* 2015;194(suppl 1):139.4-139.4
264. Dunagan DP, Rubin BK, Fasano MB. Pneumocystis carinii pneumonia in a child receiving ACTH for infantile spasms. *Pediatr Pulmonol.* 1999;27(4):286-289. [Link](#)
265. Fleischer N, Abe K, Liddle GW, Orth DN, Nicholson WE. ACTH antibodies in patients receiving depot porcine ACTH to hasten recovery from pituitary-adrenal suppression. *J Clin Invest.* 1967;46(2):196-204. [Link](#)
266. Gentry PA, Liptrap RM, Tremblay RR, Lichen L, Ross ML. Adrenocorticotrophic hormone fails to alter plasma fibrinogen and fibronectin values in calves but does so in rabbits. *Vet Res Commun.* 1992;16(4):253-264. [Link](#)
267. Gitelson S. The effect of ACTH and cortisone on the blood pyruvic acid level. *Acta Endocrinol (Copenh).* 1954;15(3):225-235. [Link](#)
268. Go T. Sequential MRI in chronic meningitis during adrenocorticotrophic hormone treatment for West Syndrome. *Childs Nervous System.* 2001;17(8):497-499. [Link](#)
269. Gong R. The renaissance of corticotropin therapy in proteinuric nephropathies. *Nat Rev Nephrol.* 2012;8:122-128. [Link](#)
270. Hayes K, Warner EA, Bollinger C, Wright D, Fitch RM. Differential effects of Acthar® Gel and methylprednisolone in a preclinical rodent model of FSGS [ASN abstract PUB447]. *J Am Soc Nephrol.* 2017;28(suppl):1077-1078.
271. Hayes K, Warner E, Bollinger C, Wright D, Fitch R. H.P. Acthar Gel inhibits fibrosis, renal tubular damage, and glomerular injury in 8-and 12-week puromycin induced renal injury model [NKF abstract 119]. *Am J Kidney Dis.* 2018;71(4):545.
272. Healy LM, Jang JH, Lin YH, Rao V, Antel JP, Wright D. Melanocortin receptor mediated anti-inflammatory effect of repository corticotropin injection on human monocyte derived macrophages [ECTRIMS-ACTRIMS abstract EP1481]. *Mult Scler.* 2017;23(S3):777.
273. Hladunewich MA, Fervenza FC, Beck LH., et al. A pilot study to determine dose, effectiveness and depletion of anti-PLA2R antibodies of adrenocorticotrophic hormone (ACTH Acthar Gel) in subjects with nephrotic syndrome and idiopathic membranous nephropathy (IMN) [ASN abstract FR-OR125]. *J Am Soc Nephrol.* 2012;23(suppl):58A
274. Higgins P, Decker D, Becker P. Immunomodulatory effects of repository corticotropin injection (H.P. Acthar® gel) on the MRL/lpr model of lupus [AAI abstract 210.11]. *J Immunol.* 2016;196(1 Supplement):210.11.
275. Higgins P, Decker D, Becker P. Inhibition of a streptococcal cell wall model of arthritis flare by repository corticotropin injection [EULAR abstract AB0105]. *Ann Rheum Dis.* 2016;75(Suppl 2):932-932.
276. Higgins P, Young D. Inhibitory effects of Acthar Gel in the passive Heymann nephritis model [ASN abstract FR-PO338]. *J Am Soc Nephrol.* 2014;25(suppl):448A
277. Hogan JJ, Jai R, Gerald BA, Andrew SB, Pietro AC, Maya KR. Treatment of resistant primary focal segmental glomerulosclerosis (FSGS) with adrenocorticotrophic hormone (ACTH) gel [ASN abstract SA-PO381]. *J Am Soc Nephrol.* 2012;23(suppl):725A
278. Jensen MA, Abraham P, Reder AT, Arnason BGW. Co-production of GM-CSF, IL-22, or IL-17F identifies a pathogenic high IL-17A-producing T cell subset from MS patients that is steroid resistant [ANA abstract S151]. *Ann Neurology.* 2016;80:S53-S54. .
279. Kater CE, Irony I, Biglieri EG, Faical S. Continuous adrenocorticotropin administration in hypopituitarism produces asynchronous increases of deoxycorticosterone and 11-deoxycortisol relative to other reduced zona fasciculata steroids. *J Clin Endocrinol Metab.* 1990;71(2):305-310. [Link](#)
280. Kittanamongkolchai W, Cheungpasitporn W, Zand L. Efficacy and safety of adrenocorticotrophic hormone treatment in glomerular diseases: A systematic review and meta-analysis. *Clin Kidney J.* 2016;9(3):387-396. [Link](#).
281. Kirkil G, Baughman RP. The current management of sarcoidosis. *Minerva Pneumol.* 2016;55(3):71-84.
282. Kongelbeck SR. Discharge planning for the child with infantile spasms. *J Neurosci Nurs.* 1990;No. 4:238-244. [Link](#)
283. Krieger S, Sorrells SF, Nickerson M, Pace TW. Mechanistic insights into corticosteroids in multiple sclerosis: War horse or chameleon? *Clin Neurol Neurosurg.* 2014;119:6-16. [Link](#)

284. Lal R, Bell S, Challenger R, et al. Pharmacodynamics and tolerability of repository corticotropin injection in healthy human subjects: A comparison with intravenous methylprednisolone. *J Clin Pharmacol.* 2016;56(2):195-202. [Link](#)
285. Landon J, Friedman M, Greenwood FC. Antibodies to corticotrophin and their relation to adrenal function in children receiving corticotrophin therapy. *Lancet.* 1967;1(7491):652-655. [Link](#)
286. Levell MJ, Stitch SR, Noronha M, Vas C. The assessment of adrenal-cortical function in patients receiving corticotrophin therapy. *Acta Endocrinol.* 1970;64(2):287-294. [Link](#)
287. Lieberman K, Ettinger L, Picarelli C. ACTH gel for treating steroid resistance (SR) and oral steroid intolerance (OSI) in pediatric minimal change nephrotic syndrome (MCNS) [IPNA abstract P-SUN194]. *Pediatr Nephrol.* 2013;28(8):1598
288. Lieberman KV, Pavlova-Wolf A. Adrenocorticotrophic hormone therapy for the treatment of idiopathic nephrotic syndrome in children and young adults: A systematic review of early clinical studies with contemporary relevance. *J Nephrol.* 2017;30(1):35-44. [Link](#)
289. Linden JR, Flores C, Shetty SV, Zhao B, Rumah KR, Ma Y, Vartanian T. In vivo modeling of the nascent multiple sclerosis lesion: epsilon toxin treated mice develop focal demyelinating lesions [ECTRIMS abstract P357]. *Mult Scler.* 2015; 23(sup 11):142-143
290. Lisak R, Nedelkoska L, Benjamins J. The melanocortin ACTH 1-39 promotes protection of oligodendrocytes by astroglia. *J Neurol Sci.* 2016;362:21-26. [Link](#)
291. Lisak R, Nedelkoska L, Benjamins J. The melanocortin receptor ACTH1-39 may protect oligodendroglia by inhibiting protein kinase C [AAN abstract P5.287]. *Neurology.* 2016;86(16 suppl 1):[published online: April 5, 2016].
292. Lisak RP, Nedelkoska L, Benjamins JA. Melanocortin 4 receptors on oligodendrocytes and oligodendrocyte precursors signal ACTH protection from in vitro death induced by mechanisms involved in cell damage in multiple sclerosis.[ECTRIMS abstract P579]. *Mult Scler.* 2015;23(11 suppl 1):273,
293. Lisak R, Nedelkoska L, Benjamins J. ACTH1-39 protection of oligodendrocytes from damage relevant to multiple sclerosis involves both direct and indirect mechanisms. [AAN abstract P2.189]. *Neurology.* 2015;84(suppl 14):P2.189
294. Lisak R.P., Nedelkoska L., Bealmea B., Benjamins J.A. Melanocortin receptor agonist ACTH 1-39 protects rat forebrain neurons from apoptotic, excitotoxic and inflammation-related damage. *Exp Neurol.* 2015;273:161-167. [Link](#)
295. Loram LC, Culp ME, Connolly-Strong EC, Sturgill-Koszycki S. Melanocortin peptides: Potential targets in systemic lupus erythematosus. *Inflammation.* 2015;38(1):260-271. [Link](#)
296. Mackay JS, Sheridan B, Weaver JA. Intermittent corticotrophin therapy. Integrity of pituitary-adrenal function. *Practitioner.* 1970;205(229):646-651. [Link](#)
297. Mackay MT, Weiss SK, Adams-Webber T, et al. Practice parameter: Medical treatment of infantile spasms: Report of the American Academy of Neurology and the Child Neurology Society. *Neurology.* 2004;62(10):1668-1681. [Link](#)
298. Mallipattu SK, He JC. The podocyte as a direct target for treatment of glomerular disease? *Am J Physiol Renal Physiol.* 2016;311(1):F46-F51. [Link](#)
299. Mahmoud TG, Frits M, Iannaccone C, Bykerk VP, Bingham C, Weinblatt M, Shadick NA. Correlates of successful flare management: The role of clinician-driven treatment, home-based strategies, and medication change [ACR/ARHP abstract 2485]. *Arthritis Rheumatol.* 2016;68(suppl 10):3300-3303.
300. Marques N, Sanchez de la Pena S, Ungar F, Halberg F. Circadian stage-dependent effect of ACTH and melatonin on protein synthesis by rat adrenal cells. *Braz J Med Biol Res.* 1988;21(4):759-762. [Link](#)
301. McElhaney JL. Repository corticotropin injection as an adjunct to smoking cessation during the initial nicotine withdrawal period: Results from a family practice clinic. *Clin Ther.* 1989;11(6):854-861. [Link](#)
302. Mechtler L., Rothrock J., Cady R., McAllister P. A randomized, open-label, parallel two-arm study evaluating the efficacy of H.P. acthar injection gel in the treatment of adults with intractable chronic migraine [AAN abstract P7.182]. *Neurology.* 2014;82(suppl 10):P7.182



303. Millar JH, Rahman R, Vas CJ, Noronha MJ, Liversedge LA, Swinburn WR. Effect of withdrawal of corticotrophin in patients on long-term treatment for multiple sclerosis. *Lancet*. 1970;1(7649):700-701. [Link](#)
304. Millar JH, Vas CJ, Noronha MJ, Liversedge LA, Rawson MD. Long-term treatment of multiple sclerosis with corticotrophin. *Lancet*. 1967;2(7513):429-431. [Link](#)
305. Montroy T, Fiechtner JJ. A single-site, investigator initiated, open-label trial of the adrenocorticotrophic hormone (ACTH) analogue HP Acthar Gel (repository corticotropin injection) among subjects with moderately to severely active systemic lupus erythematosus (SLE) [EULAR abstract AB0382]. *Ann Rheum Dis*. 2013;72(suppl 3):904
306. Nelson SD, Mackay JS, Sheridan B, Weaver JA. Intermittent corticotrophin therapy study of lymphocyte transformation in vitro in rheumatoid arthritis. *Ann Rheum Dis*. 1969;28(5):524-528. [Link](#)
307. Olsen NJ, Decker DA, Higgins P, et al. Direct effects of H.P. Acthar® Gel on human B lymphocyte activation in vitro. *Arthritis Res Ther*. 2015;17:300. [Link](#)
308. Olsen N, McAloose C, Benko A, Kovacs W, Decker D, Becker P. Repository corticotropin injection (H.P. Acthar® Gel) exerts direct effects on human B cells to suppress IL4/CD40L-stimulated proliferation and immunoglobulin G production in vitro [AAI abstract IRC11P.437]. *J Immunol*. 2015;194(suppl 1):197.19-197.19
309. Olsen N, Benko A, McAloose C, Sunyer T, Becker P. Repository corticotropin injection exerts direct acute effects on human b cell gene expression distinct from the actions of glucocorticoids [IC SLE ACE abstract 53]. *Lupus*. 2017;4(suppl 1):A23.
310. Parr EJ. Hay fever treated with ACTH gel. *Clin Allergy*. 1976;6(5):479-486. [Link](#)
311. Poyan-Mehr A, Sadeghi-Najafabadi M, Stillman I, Friedman D, Steinman T. Creation of a glomerular disease study and trial consortium in Boston [NKF abstract 269]. *Am J Kidney Dis*. 2016;67(5):A86
312. Philbin M, Niewoehner J, Wan GJ. Clinical and economic evaluation of repository corticotropin injection: a narrative literature review of treatment efficacy and healthcare resource utilization for seven key indications. *Adv Ther*. 2017;34(8):1775-1790. [Link](#)
313. Quyyum I, Lyman NW, Acthar induced hypokalemic metabolic alkalosis. [ASN abstract FR-PO010] *J Am Soc Nephrol*. 2015; 26 (suppl): 359A.
314. Rosenblum AH, Rosenblum P. Anaphylactic reactions to adrenocorticotrophic hormone in children. *J Pediatr*. 1964;64:387-395. [Link](#)
315. Rice JB, White AG, Scarpati LM, Wan G, Nelson WW. Long-term systemic corticosteroid exposure: a systematic literature review. *Clin Ther*. 2017;39(11):2216-2229. [Link](#)
316. Rice JB, White A, Lopez A, Wagh A, Qin Y, Mitri G, Bartels-Peculis L, Ciepielewska G, Nelson W. Quantifying clinical and economic outcomes associated with chronic corticosteroid exposure in a US population [ACR abstract 1801] *Arthritis Rheumatol*. 2017; 69 (suppl 10):1801.
317. Ross AP, Ben-Zacharia A, Harris C, Smrtka J. Multiple sclerosis, relapses, and the mechanism of action of adrenocorticotrophic hormone. *Front Neurol*. 2013;4:21. [Link](#)
318. Scantlebury MH, Chun KC, Ma SC, Rho JM, Kim DY. Adrenocorticotrophic hormone protects learning and memory function in epileptic Kcna1-null mice. *Neurosci Lett*. 2017;645(0304-3940):14-18. [Link](#)
319. Si J, Ge Y, Zhuang S, Wang LJ, Chen S, Gong R. Adrenocorticotrophic hormone ameliorates acute kidney injury by steroidogenic-dependent and -independent mechanisms. *Kidney Int*. 2013;83(4):635-646. [Link](#)
320. Sim JJ, Batech M, Harrison TN, Shaw SF, Vora S, Hever A. Incident ESRD and eGFR Decline among the Most Common Glomerulopathies (GN): The Kaiser Permanente Southern California (KPSC) Cohort [ASN abstract TH-PO844]. *J Am Soc Nephrol*. 2016;27(suppl):288A-289A.
321. Stafstrom CE, Arnason BG, Baram TZ, et al. Treatment of infantile spasms: Emerging insights from clinical and basic science perspectives. *J Child Neurol*. 2011;26:1411-1421. [Link](#)
322. Tait JF, Tait SA, Bell JB, Hyatt PJ, Williams BC. Further studies on the stimulation of rat adrenal capsular cells: Four types of response. *J Endocrinol*. 1980;87(1):11-27. [Link](#)

323. Teske S, Shepard L, Tayi R. Melanocortin Peptides – endogenous mediators of inflammation [FOCIS] abstract F.34.]. Abstract presented at FOCIS; June 22 - 25, 2016; Boston, MA: 78-79
324. Tumlin JA, Galphin CM, Rovin BH. Advanced diabetic nephropathy with nephrotic range proteinuria: A pilot study of the long-term efficacy of subcutaneous ACTH gel on proteinuria, progression of CKD, and urinary levels of VEGF and MCP-1. *J Diabetes Res.* 2013:489869. [Link](#)
325. Van de Logt A-E, Hofstra JM, Wetzels JF. Pharmacological treatment of primary membranous nephropathy in 2016. *Expert Rev Clin Pharmacol* 2016;9(11):1463-1478. [Link](#)
326. VanMeter S, Becker P, Zhao E, Levine T. Rationale and design for a multicenter, double-blind, placebo-controlled study to assess the efficacy and safety of H.P. Acthar® Gel in the treatment of subjects with Amyotrophic Lateral Sclerosis [AAN abstract P5.331]. *Neurology.* 2018;(15 suppl):P5.331.
327. Wang H, Jia Z, Liu G, Yang T. Adrenocorticotrophic hormone attenuates diabetic nephropathy in Zucker diabetic fatty rats via inhibition of oxidative and inflammatory responses. [ASN PUB068]. *J Am Soc Nephrol.* 2010;21(suppl):825A.
328. Weaver JA. The therapeutic uses of long acting ACTH. *Scott Med J.* 1978;23(2):153-160. [Link](#)
329. Wright D, Zweifel B, Fitch R. Treatment with repository corticotropin injection reduces the progression of experimental autoimmune uveitis in rats [ARVO abstract 531- B0086]. Abstract Presented at Association for Research in Vision and Ophthalmology Annual Meeting 2017, May 7-11, 2017, Baltimore, MD. May 2017.
330. Wright AD, Sharma P, Zweifel B, Oh L. Suppression of acute uveitis following treatment with repository corticotropin injection. [Immunology abstract 127.9]. *J Immunol.* 2017;198(suppl 1):127.9.
331. Zhou Y, Lower EE, Li H-P, Costea A, Attari M, Baughman RP. Cardiac sarcoidosis: the impact of age and implanted devices on survival. *Chest.* 2017 Jan;151(1):139-148. [Link](#)